

Baosteel B30p120 CRGO Material Coil for Transformer, Reactor, Filter, Inverter

- **Basic Information**
- Place of Origin:
- Brand Name:
 - and Marine.
- Certification:
- Model Number:
- Minimum Order Quantity: 1
- Price:
- Packaging Details:

• Delivery Time:

• Supply Ability:

• Payment Terms:

5 days

China JC

SGS CE,UL

transportation

B30P120

consult

L/C, T/T, Western Union, MoneyGram 200Ton/week

Standard export package for ocean



Product Specification

 Length: 	100-3000mm
 Thickness: 	0.18mm-0.35mm
Grade:	M1, M2, M3, M4
 Package: 	Carton, Pallet, Etc.
• Width:	50mm-1250mm
• Туре:	Oriented Silicon Steel
Standard:	GB, AISI, ASTM, DIN, JIS
 Technique: 	Cold Rolled
• Shape:	Coil
 Transport Package: 	Standard Export Package For Ocean Transportation
 Trademark: 	Baosteel; WISCO; Nippon Steel; JE; AK
 Coating Weight: 	20-50g/m2
 Inner Diameter: 	508mm/610mm
Material:	CRGO&CRNGO



Baosteel 72251100

More Images



Product Description

Baosteel B30p120 CRGO Material Coil

Basic Info.

Model NO.	B30P120	Trademark
Origin	China	HS Code
		PRODUCT DETAILS
Production Capacity	5000mt/Month	PRODUCT DETAILS
, ,		

Our Prod

Our Product Introduction

for more products please visit us on jc-transformer.com

Major Manufacturer	BAOSTEEL, WISCO, Nippon Steel, JFE, AK
Grade	CRGO: 20ZDKH75, B20P075, B20P070, B18R070 B23G110, B23G100, B23P100, B23R095, B23R090, 23ZH90,23QG090, B23R080 27Q120, 27QG100, 27QG095, B27P120, B27P100, B27P095 30Q130, 30Q120, 30QG105; B30G130, B30G120, B30P120, B30P105 35Q155, B35G155, 35Z155
	CRNGO: B35A270, B35A250, B35A230, B35A300, 35WW270,35WW250,35WW230 B50A800, B50A600, B50A470, B50A400, B50A310, B50A290, B50A250, B50A1300, B50A1000
Nominal thickness	0.18mm, 0.20mm, 0.23mm,0.27mm,0.30mm,0.35mm, 0.5mm
Coil ID	508mm
Weight	2MT~8MT
Standard	EN 10106,IEC 60404-8-4,ASTM,DIN,GB,JIS
Form	Cold Rolled Strip
Delivery Lead Time	7~15 days after T/T prepayment or L/C date
Packing	Standard export package for ocean transportation
Application	All kinds of transformer, reactor, filter, inverter

Specification of CRGO silicon steel products

Туре	G r a d e	Thic kne ss (mm)	Availab le width range(mm)	I	Densi ty (kg/d m ³)	P _{17/50} Max.Cor e Loss(W/kg)	B ₈ Min. Ind ucti on(T)
	B 2 3 G 1 1 0	0.23				1.10	1.80
	B 2 7 G 1 2 0	0.27				1.20	1.80
Common Type B 3 Common Type B 3 0 G 1 3 0 0 G 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0	3 0 G 1 2	0.30				1.20	1.80
	3 0 1 3 0					1.30	1.80
	3 0 G 1 4					1.40	1.80
	3 5 G 1 3					1.35	1.80
	3 5 6 1 4 5	à 0.35				1.45	1.80
	3 5 G 1 5					1.55	1.80

2 3 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	B 2 3 P 0 9 0 B 2 3 P 0 9 5 B 2 3 P 1 0 0					0.90	1.87
		0.23	700		7.65	0.95	1.87
		-				1.00	1.87
	B 2 7 9 5					0.95	1.88
	B 2 7 P 1 0 0	0.27		5 0 8		1.00	1.88
High Induction	B 2 7 1 1 0	2				1.10	1.88
Туре	B 3 0 P 1 0 0					1.00	1.88
B 3 0 P 1 5 5 8 3 0 P 1 1 0 8 3 0 P 1 1 2 0 8 3 5 P 1 2 0 8 3 5 9 1 2 0 9 1 2 0 9 1 1 0 5 5 7 9 1 0 5 5 8 3 0 9 9 1 0 5 5 7 9 9 1 0 5 5 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3 0 P 1 0 5				1.05	1.88	
	3 0 1 1 0	3 0 P 1 1 0 B				1.10	1.88
	3 0 1 2 0					1.20	1.88
	0.25				1.35	1.88	
	B 3 5 P 1 5 5					1.55	1.88
B 2 3 R 0 8 0	-				0.80	1.87	

2 3 F 0 0 5 5 2 2 2 2 2 7 8 6 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 R 0 8 5	0.23		0.85	1.87
	B 2 3 R 0 9 0	2 3 R 0 9		0.90	1.87
	B 2 7 R 0 9	2 7 R 0 9 0 0 27	0.90	1.87	
	B 2 7 R 0 9 5	0.27		0.95	1.87
NOTE:			I		
Detecting Basis			5-2000 If sample per kg at		

7/50 means core loss of sample per kg at max.magnetic induction 1.7T and frequency 50HZ

B8 means magnetic induction corresponding to 800A/m magnetic field intensity

0

PACKING

Baosteel B30p105 CRGO Material Coil

Company advantage

Quality is guaranteed. First, the raw materials come from many well-known domestic and foreign enterprises, such as Baosteel, WISCO, Nippon Steel. We have the most excellent materials. Secondly, our company has a perfect quality assurance system, which guarantees that you can get the best products from purchase to delivery.

Price concessions. Our company's product price is in the middle level of the industry, and is famous for its high cost performance. There is still a lot of room for price. We look forward to your demand. We will give you a most suitable quotation.

Delivery on time and stable cooperation. Jiachen has had five years of trade experience since its establishment in 2014. Good service is a constant requirement and has always done so. You can rest assured of our promptness of delivery and the flexibility of expanding supply.

Service is trustworthy. We have been a high-quality supplier of made-in-china network, has been committed to foreign trade, foreign trade capacity has been audited by made-in-china network. s. We sincerely and warmly welcome you to visit and give advice to improve our shortcomings, learn new technologies, improve product performance, and mutual benefit.

Wuxi Jiachen Power Electronics Equipment Co., Ltd.

tangliang@jc-cores.com jc-transformer.com

No. 68, Zhounan Road, Wanshi Town, Yixing City, Jiangsu Province, China